



Patient: **SAMPLE  
PATIENT**

DOB:

Sex:

MRN:

**3301 Organix® Comprehensive Profile - Urine**  
Methodology: LC/Tandem Mass Spectrometry, Colorimetric



**Summary of Abnormal Findings**

Biomarkers	Findings	Metabolic Pathway
<b>Fatty Acid Metabolism</b>		
Adipate	<b>Borderline High</b>	Fatty acid oxidation
Suberate	<b>Borderline High</b>	Fatty acid oxidation
<b>Carbohydrate Metabolism</b>		
L-Lactate	<b>H</b>	Glycolysis
b-Hydroxybutyrate	<b>Borderline High</b>	Ketone production
<b>Energy Production Markers</b>		
Succinate	<b>Borderline High</b>	Citric acid cycle
<b>B-Complex Vitamin Markers</b>		
No Abnormality Found		
<b>Methylation Cofactor Markers</b>		
No Abnormality Found		
<b>Neurotransmitter Metabolism Markers</b>		
Vanilmandelate	<b>Borderline High</b>	Epinephrine & norepinephrine metabolism
Homovanillate	<b>H</b>	Dopamine metabolism
5-Hydroxyindoleacetate	<b>H</b>	Serotonin metabolism
Kynurenate	<b>Borderline High</b>	Tryptophan pathway
<b>Oxidative Damage and Antioxidant Markers</b>		
p-Hydroxyphenyllactate	<b>H</b>	Gut bacterial metabolism
8-Hydroxy-2-deoxyguanosine	<b>H</b>	Oxidative damage
<b>Detoxification Indicators</b>		
Sulfate	<b>L</b>	Transsulfuration pathway
<b>Bacterial - General</b>		

**Summary of Abnormal Findings**

Biomarkers	Findings	Metabolic Pathway
Hippurate	<b>Borderline High</b>	Gut bacterial metabolism
Phenylacetate	<b>H</b>	Gut bacterial metabolism
p-Hydroxybenzoate	<b>Borderline High</b>	Gut bacterial metabolism
p-Hydroxyphenylacetate	<b>H</b>	Gut bacterial metabolism
<b>L. acidophilus/General Bacteria</b>	No Abnormality Found	
<b>Clostridial Species</b>	No Abnormality Found	
<b>Yeast/Fungal</b>		
D-Arabinitol	<b>Borderline High</b>	Yeast product

Patient: **SAMPLE PATIENT**

DOB:

Sex:

MRN:



**3301 Organix® Comprehensive Profile - Urine**

Methodology: LC/Tandem Mass Spectrometry, Colorimetric

This report is not intended for the diagnosis of neonatal inborn errors of metabolism.

Ranges: Ages 13 and over

Results mcg/mg creatinine	QUINTILE DISTRIBUTION					95% Reference Range
	1st	2nd	3rd	4th	5th	

**Nutrient Markers**

**Fatty Acid Metabolism**

(Carnitine & B2)

1. Adipate	8.5				6.2	<= 11.1
2. Suberate	2.9				2.1	<= 4.6
3. Ethylmalonate	2.0				3.6	<= 6.3

**Carbohydrate Metabolism**

(B1, B3, Cr, Lipoic Acid, CoQ10)

4. Pyruvate	<DL				3.9	<= 6.4
5. L-Lactate	19.0	<b>H</b>			8.5	0.6 - 16.4
6. β-Hydroxybutyrate	4.5				2.1	<= 9.9

**Energy Production (Citric Acid Cycle)**

(B Comp., CoQ10, Amino Acids, Mg)

7. Citrate	487				601	56 - 987
8. Cis-Aconitate	38				51	18 - 78
9. Isocitrate	62				98	39 - 143
10. α-Ketoglutarate	<DL				19.0	<= 35.0
11. Succinate	12.9				11.6	<= 20.9
12. Fumarate	<DL				0.59	<= 1.35
13. Malate	0.6				1.4	<= 3.1
14. Hydroxymethylglutarate	3.2				3.6	<= 5.1




**3301 Organix® Comprehensive Profile - Urine**

Methodology: LC/Tandem Mass Spectrometry, Colorimetric

This report is not intended for the diagnosis of neonatal inborn errors of metabolism.

Ranges: Ages 13 and over



**Nutrient Markers**

**B-Complex Vitamin Markers**

(B1, B2, B3, B5, B6, Biotin)

Item	Results	Quintile Distribution	95% Reference Range
15. α-Ketoisovalerate	<DL	0.25	<= 0.49
16. α-Ketoisocaproate	<DL	0.34	<= 0.52
17. α-Keto-β-Methylvalerate	<DL	0.38	<= 1.10
18. Xanthurenate	<DL	0.34	<= 0.46
19. β-Hydroxyisovalerate	3.8	7.6	<= 11.5

**Methylation Cofactor Markers**

(B12, Folate)

20. Methylmalonate	1.0	1.7	<= 2.3
21. Formiminoglutamate	0.5	1.2	<= 2.2

**Cell Regulation Markers**

**Neurotransmitter Metabolism Markers**

(Tyrosine, Tryptophan, B6, Antioxidants)

22. Vanilmandelate	5.2	1.6 - 3.9	1.2 - 5.3
23. Homovanillate	9.1 <b>H</b>	1.9 - 5.7	1.4 - 7.6
24. 5-Hydroxyindoleacetate	10.5 <b>H</b>	2.1 - 5.6	1.6 - 9.8
25. Kynurenate	1.5	1.0	<= 1.5
26. Quinolinate	<DL	4.0	<= 5.8
27. Picolinate	3.1	8.0	2.8 - 13.5

**Oxidative Damage and Antioxidant Markers**

(Vitamin C and Other Antioxidants)

28. p-Hydroxyphenyllactate	1.13 <b>H</b>	0.39	<= 0.66
29. 8-Hydroxy-2-deoxyguanosine	13.7 <b>H</b>	5.3	<= 7.6

(Units for 8-hydroxy-2-dexoyguanosine are ng/mg creatinine)




### 3301 Organix® Comprehensive Profile - Urine

Methodology: LC/Tandem Mass Spectrometry, Colorimetric

This report is not intended for the diagnosis of neonatal inborn errors of metabolism.

Ranges: Ages 13 and over



### Toxicants and Detoxification

#### Detoxification Indicators

(Arg, NAC, Met, Mg, Antioxidants)

Item	Results	Quintile Distribution	95% Reference Range
30. 2-Methylhippurate	0.021	0.084	<= 0.192
31. Orotate	<DL	0.69	<= 1.01
32. Glucarate	<DL	6.3	<= 10.7
33. α-Hydroxybutyrate	<DL	0.3	<= 0.9
34. Pyroglutamate	46	59	28 - 88
35. Sulfate	400 <b>L</b>	958 - 2,347	690 - 2,988

### Compounds of Bacterial or Yeast/Fungal Origin

#### Bacterial - General

Item	Results	Quintile Distribution	95% Reference Range
36. Benzoate	<DL	0.6	<= 9.3
37. Hippurate	570	548	<= 1,070
38. Phenylacetate	0.38 <b>H</b>	0.11	<= 0.18
39. Phenylpropionate	<DL		<= 0.06
40. p-Hydroxybenzoate	1.7	1.1	<= 1.8
41. p-Hydroxyphenylacetate	45 <b>H</b>	19	<= 34
42. Indican	32	64	<= 90
43. Tricarballic acid	<DL	0.73	<= 1.41

#### L. acidophilus / General Bacterial

44. D-Lactate	0.2	2.0	<= 4.1
---------------	-----	-----	--------

#### Clostridial Species

45. 3,4-Dihydroxyphenylpropionate	<DL		<= 0.05
-----------------------------------	-----	--	---------

#### Yeast / Fungal

46. D-Arabinitol	43	36	<= 73
------------------	----	----	-------

Creatinine = 23 mg/dL

<DL = less than detection limit

>UL = greater than upper linearity limit

This test has been developed and its performance characteristics determined by Genova Diagnostics, Inc. It has not been cleared by the U.S. Food and Drug Administration.



## 3301 Organix® Comprehensive Profile - Urine

### Additional Considerations

**These supplement ranges are not adjusted for age or gender.**

Nutrient supplementation is at the *discretion of the treating clinician*. The supplement dose ranges provided below are meant for educational purposes only. These dosage ranges relate to findings commonly found on Genova's nutritional panels and do not apply to specific disease conditions where different dosages may be warranted. Final recommendations should be based on consideration of the patient's medical history and current clinical condition.

Nutrient	Nutrient Need	Clinician Recommendations
Vitamin C	High: 1000-2000 mg	
Vitamin E (mixed tocopherols)	High: 200-400 IU	
Vitamin B-1 (Thiamin)	Low: 10-25 mg	
Vitamin B-2 (Riboflavin)	Low: 10-25 mg	
Vitamin B-3 (Niacin)	Low: 10-50 mg	
Vitamin B-5 (Pantothenic Acid)	Low: 10-25 mg	
Vitamin B-6 (Pyridoxine)	Optional: 0-10 mg	
Magnesium	Optional: 0-100 mg	
Selenium	Optional: 0-50 mcg	
Carnitine	Optional: 0-500 mg	
Coenzyme Q10	Low: 20-60 mg	
Lipoic Acid	Low: 50-100 mg	
N-Acetylcysteine	Low: 100-200 mg	
Need for other antioxidants	High	

Various conditionally essential nutrients and other potentially beneficial interventions appear in this section only if relevant abnormalities are present.

Amino acids listed on this page result from functional markers of individual amino acid insufficiency and do not reflect amino acids measured in plasma.